

Emergency Department Visits for Early Pregnancy Complications: A Statewide Registry-Based Study

Table 1. Rate of EPC-related ED visits.

Ager EE,¹ Janke A,¹ Seiler K,² Solnick R,³ Dalton V,⁴ Kocher K,¹ Fung C¹

¹Department of Emergency Medicine, Michigan Medicine, Ann Arbor, MI

²Institute for Healthcare Policy and Innovation, University of Michigan, Ann Arbor, MMI

³Department of Emergency Medicine, Mount Sinai Hospital/Icahn School of Medicine, New York, NY

⁴Department of Obstetrics & Gynecology, Michigan Medicine, Ann Arbor, MI

INTRODUCTION

- ED visits during pregnancy are common
- U.S. legal changes in June 2022 reduced access to family planning services, such as abortion
- EDs in states that maintain abortion access, such as Michigan, may experience an increase in out-ofstate patients seeking care for early pregnancy complications (EPC)
- Hypothesis: Michigan ED visits for EPC will increase after June 2022 due to increased visits by non-MI residents

METHODS

- ED visits for female patients with any EPC-related ICD-10 code from 7-2021 to 6-2023 were identified at continuously enrolled sites in the Michigan Emergency Department Improvement Collaborative (MEDIC) database, a statewide multi-ED Collaborative Quality Initiative
- Primary outcome: rate of EPC-related ED visits in year before & after July 2022, stratified by state residency status (determined by ZIP code)
- Sociodemographic risk factors for ED revisits & hospitalization are described using OR & 95% CI

RESULTS

Total visits: 6,120 at 26 EDs (5,338 patients)

ED revisits: 11.7%

Hospitalization: 28.4%

	July 2021 - June 2022	July 2022 - June 2023	95% CI of the difference
Visit rates (per 100,000)			
All visits	161	176	+0.6 to +2.3
Non-MI residents	2.05	2.84	-0.02 to +0.18

Table 2. Sociodemographic risk factors for ED revisits & hospitalization among all patients with EPC-related ED visit from July 2021 – June 2023.

	ED revisits		Hospitalization	
Variable	OR	(95% CI)	OR	(95% CI)
Insurance payer				
Private	Ref		_	_
Medicaid	1.17	(1.00 - 1.38)	-	_
Race/ethnicity				
White	Ref		Ref	
Black	1.31	(1.09 - 1.57)	1.14	(1.00 - 1.30)
Age				
18-29	-	_	Ref	
30-39	_	-	1.28	(1.13 - 1.44)

Table 3. Ten most common EPC-related ICD-10 diagnosis codes among patient cohort.

Diagnosis code	Diagnosis description	Cohort cases
003	Spontaneous abortion	4,448
0039	Complete or unspecified spontaneous abortion without complication	2,906
000	Ectopic pregnancy	1,523
0034	Incomplete spontaneous abortion without complication	1,383
0009	Ectopic pregnancy, unspecified	779
O02	Other abnormal products of conception	548
0001	Tubal pregnancy	477
0021	Missed abortion	404
O002	Ovarian pregnancy	172
O020	Blighted ovum & nonhydatidiform mole	83

CONCLUSION

- ED visit rates for EPC among non-MI residents did not differ in the year after national changes to abortion policy
- Publicly insured & Black patients were more likely to have repeat ED visits
- Limitations: overall small number of visits for EPC limits ability to detect a difference, short period of time since national policy change
- Future studies should explore EPC-related ED visits at national level, particularly in states that maintain abortion access

REFERENCES



Although Blue Cross Blue Shield of Michigan and MEDIC work collaboratively, the opinions, beliefs and viewpoints expressed by the author do not necessarily reflect the opinions, beliefs and viewpoints of BCBSM or any of its employees. Support for MEDIC is provided by Blue Cross and Blue Shield of Michigan and Blue Care Network as part of the BCBSM Value Partnerships program.